

Cowlitz County Small Quantity Generator of Hazardous Waste Registration Form

Waste Control Recycling
Moderate Risk Waste Facility
1150 3rd Avenue
Longview, WA 98632
Phone: (360) 425-4302 Fax: (360) 577-4724

Part 1–Business Contact Information (Please use a separate form for each business site.)

1a. Business Name		
1b. Contact Name		
1c. Mailing Address (Street or PO Box) and City, State, Zip		
1d. Site Address (Street Address) if different from above and City, State, Zip		
1e. Type of Business		
1f. Phone	1g. Occurrence Frequency	1h. E-mail

Part 2–Certification

<p>2a. I certify that a Small Quantity Generator (SQG) generated this waste as defined by the Washington State Department of Ecology (WAC 173-303-070(8)). This includes all the following minimum state requirements:</p> <ul style="list-style-type: none"> The quantity accumulated or stored is less than 2,200 lbs (1,000 kg). The total quantity generated in one month is less than 220 lbs. (100 kg). The total quantity of acute hazardous waste is less than 2.2. lbs. (1 kg). The waste has been managed in accordance with all Washington State Regulations (WAC 173-303). 	
<p>_____</p> <p>Signature</p>	<p>_____</p> <p>Date</p>
<p>_____</p> <p>Print Name and Title</p>	<p>_____</p> <p>Time</p>

[illegible]

⁴ See attached metric to standard unit conversions

Metal = M
Plastic = PLS
Glass = GLS
Cardboard = CB
Paper = PAP

¹ Department of Transportation Class	² Size of Container	³ Type of Container	⁴ See attached metric to standard unit conversions
Flammable Liquid = 3	Pound = LB	Metal = M	
Flammable Solid = 4	Gallon = GAL	Plastic = PLS	
Oxidizing Material = 5	Ounce = OZ	Glass = GLS	
Toxic/Poison = 6	Quart = QT	Cardboard = CB	
Corrosive Material = 8	Pint = PT	Paper = PAP	

¹ Department of Transportation Class	² Size of Container	³ Type of Container	⁴ See attached metric to standard unit conversions
Flammable Liquid = 3	Pound = LB	Metal = M	
Flammable Solid = 4	Gallon = GAL	Plastic = PLS	
Oxidizing Material = 5	Ounce = OZ	Glass = GLS	
Toxic/Poison = 6	Quart = QT	Cardboard = CB	
Corrosive Material = 8	Pint = PT	Paper = PAP	

Cowlitz County Small Quantity Generator of Hazardous Waste Inventory Form

Metric to Standard Unit Conversions

Metric Unit		Standard Unit
		gallons
milliliters (mL)	1	0.000264
	10	0.003
	50	0.013
	100	0.026
	200	0.053
	300	0.079
	400	0.106
	500	0.132
	600	0.159
	700	0.185
	800	0.211
	900	0.238
	1,000	0.264
liters (L)	1	0.264
	2	0.528
	3	0.793
	4	1.057
	5	1.321
	6	1.585
	7	1.849
	8	2.113
	9	2.378
	10	2.642